



U.S. Department of Transportation

National Highway
Traffic Safety
Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

82 PSU

CASE NO. 630 P

TYPE OF ACCIDENT <u>CAR/PEDESTRIAN RUNNING</u>

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle #1 was southbound on a 2-way, 2-lane street. Vehicle #1 proceeded through an intersection with a marked crosswalk and then approximately 60 meters beyond the intersection, the driver noticed the pedestrian who was standing on the west curb looking to his right for southbound traffic. Driver began to decelerate before the pedestrian who then ran east across the street. Driver then braked to a stop as the front of Vehicle #1 impacted the legs of the pedestrian as he jumped slightly and put out his hand onto the hood after seeing Vehicle #1 at the last second. Pedestrian was knocked to the ground right near the front left corner of the stopped Vehicle #1.

B. PEDESTRIAN PROFILE										
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)						
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	30	Male	Treated & released	Lower extremity	Skin- other)	License Plate			

Body Region	Type of Anatomic Structure				
Head	Whole Area				
Face	Vessels				
Throat	Nerves				
Chest	Organs				
Abdomen/Pelvis	Skeletal				
Spine	Head-LOC				
Upper Extremity	Skin-Burn				
Lower Extremity	Skin-Duni Skin-Other				
External	ORD CITO				

Abbreviated Injury Scale

(1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	C. VEHICLE PROFILE								
	Class		Most Severe Damage Based on Vehicle Inspection						
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description					
01	Subcompact	92/Nissan/Sentra	Front	Minor - smears					


DO NOT SANITIZE THIS FORM

U.S. Department of Transportation National Highway Traffic Safety Administration **ACCIDENT COLLISION DIAGRAM**

NATIONAL ACCIDENT SAME STATES YSTEM PEDESTRIAN CRASH E A STUDY

&D PSU No. Indicate Case Number – Stratum 630 P North 不 Jan 190 LARKING (dowa) Witness 0 0 sidewalk Reference Pt. Reference Lin Stop/red Stop/Red sidewell! 3'Agracal X Crosswolk

ACCIDENT COLLISION DIAGRAM





PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 8 2	>	Case	Numbe	r-Stratum 6 3 0 P					
PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION									
document reference point and reference line relative to physical features.	Surface Type	<u> </u>	• no	orth arrow placed on diagram					
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	on Way		ade measurements for all applicable adways					
a) vehicle skid marks	Coefficient of Fri	iction		aled representations of the physical plant cluding:					
b) pedestrian contacts with ground or object	Grade (v/h) Mea	surement 3/	a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)					
c) vehicle/pedestrian point of impact (POI)	a) at impa	ad <u>1/29</u>	b)	all traffic controls (e.g., lights, signs)					
d) location of pedestrian separation point from vehicle	b) betwee final re	en impact and $\frac{-3}{3}$	pe	aled representations of the vehicle and destrian at pre-impact, impact, and final at based upon either:					
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	el Direction Eoot	a)	physical evidence, or					
* documentation of the physical plant including:	Vehicle Travel D	Pirection South	b)	reconstructed accident dynamics					
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles,	Number of Trave	el Lanes — <u> </u>							
signs, etc.) b) all traffic controls (e.g., lights, signs)									
Reference Point: Nate 11	y and	Reference Line: 1	toot	linb Elge					
Item		Distance and Direction from Reference Point		Distance and Direction from Reference Line					
Impact heen		7.0 S	5.0 E						
Frial Rest (1)		7.65							
Frial Kest (1)	Orwer								

U.S. Department of Transportation

National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

Q

2. Case Number - Stratum


IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident



Code reported military time of accident.

NOTE: Midnight = 2400Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ____SS15 Administrative Use

7. SS16 Pedestrian Crash Data Study 1

__SS17 Impact Fires 0

SS18 0

SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14.	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>		

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 2. Case Number - Stratum 3. Pedestrian Number	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown 300 pounds X .4536 = kilograms
PEDESTRIAN'S CHARACTERISTICS	DEDECTRIANIC DDE AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown 5. Pedestrian's Sex (1) Male	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown
(2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	 (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters 8. Pedestrian's Height - Ground to Hip	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway
Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters 9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	(09) Off road, moving along driveway (98) Other (specify): (99) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

ional Accident Sampling System-Crashworthiness Da	ta System: Pedestrian Assessment Form Page
PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips
 (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away 	One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object
Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	(briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify): (99) Unknown
EDESTRIAN'S ORIENTATION AT IMPACT	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward
16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up	(05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown
(5) Down (8) Other (specify): (9) Unknown	20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown	 (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify):

The second secon

OFFICIAL DECORDS		IN HIDY CONCEQUENCES	T ugo o
OFFICIAL RECORDS	:	INJURY CONSEQUENCES	
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown		 25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown 	
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	16	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):	<u>ψ</u>
Source:		Nonfatal (3) Hospitalization (4) Transported and released	
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	Q	 (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown 	_
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown		27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):	9
	2	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 6 that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown	0)
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	

	STOP: VARIABLES 20 TUROLICU 27 AF	RE COMPLETED BY THE ZONE CENTER
	STOR - VARIABLES 30 THROUGH 3/ AN	RECOMPLETED BY THE ZUNE CENTER
30.	Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured	34. 1st Medically Reported Cause of Death
	(01) Injured - not treated at medical facility(02) No GCS Score at medical facility(03-15) Code the actual value of the	35. 2nd Medically Reported Cause of Death
	initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported
	1	injury(s) which reportedly contributed to this pedestrian's death
31.	Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units):	(00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause
	(9) Unknown if blood given	of death. (specify):
32.	Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown
	(01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃	
	(96) ABGs reported , HCO₃ unknown(97) Injured, details unknown	37. Number of Recorded Injuries for This Pedestrian
	(99) Unknown if injured	Code the actual number of injuries recorded for this pedestrian.
33.	Time to Death	(00) No recorded injuries (97) Injured, details unknown
	Code number of hours from time of accident to time of death up through 24	(99) Unknown if injured
	hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day	
	=31, 2 days = 32, n days = 30 +n up	
	through 30 days = 60) (00) Not fatal	
	(96) Fatal - ruled disease (99) Unknown	
	` ,	
	ARE ALL APPLICABLE MEDICAL RECORD	S INCLUDED WITH INITIAL SUBMISSION?
	NO [J	YES[]
	UPDATE CANDIDATE?	NO[] YES[V]
	OFDATE CANDIDATE!	ιτο [γ]

Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

63<u>D</u>P

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

INJURY DATA

Record below the actual injuries sustained by this pedestrian in **CHRONOLOGICAL** order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

		AIS-90							Injury	njury			
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	53	6.7	<u>,9</u>	8. <u></u>	t02	L ₁₀ . <u>/</u>	11.2	12. 718	13	14. <u> </u>	15: 🚣	16. 3	17.3
2nd	18	19	20	21.	22.	23	24	25	26,	27	28	29	30
3rd	31	32. <u> </u>	33	34	35	36	37	38	39	40	41.	42	43
4th	44	45	46.	47	48	49	50	51.	52	53	54	55	56
5th	57	58	59	60	61	62	63	64:	65	66	67	68	69
6th	70	71	72	73	74	75	76	77	78	79	80	81	82
7th	83	84	85	86	87	88	89	90	91.	92	93	94	95
8th	96	97	98	99	100	101	102	103	_ 104	105	106,	107	108
9th	109	110	111.	112	113	114	115	116	117	118	119	120	121,
10th	122. <u>-</u>	123	124	125	126	127	128:	129	_ 130,	131	132	133	134

HS Form 0435I (10/95)

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.


				AIS-90				RY DA					
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th) 												
1 2th													
13th													
14th	·						<u></u>						
15th													_
16th													
ıotı													
1 7th) V <u> </u>												
18th	1												
	tur												
19th	·												
20th	n::												
21s1						-			<u> </u>	_	_		
22nc													
00-													
23rc													
24tł													
25tł													

· page company and a

INJURY SOURCE CONFIDENCE LEVEL SOURCE OF INJURY DATA TYPE OF DAMAGE (1) Certain (2) Probable Injury not from vehicle contact **OFFICIAL** No damage/contact (1) Autopsy records with or without hospital/ Possible (3) Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (2) Hospital/medical records other than (4) Large deformation DIRECT/INDIRECT INJURY emergency room (e.g., discharge Cracked, fractured, shattered Separated from vehicle (5) summary) Direct contact injury (6) (3) Emergency room records only (including Indirect contact injury Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (7) Injured, unknown source (4) Private physician, walk-in or emergency clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) UNOFFICIAL Injury not from vehicle contact No residual damage (5) Lay coroner report Flat-Wide (≥ 15 centimeters) Surface only damage (6) E.M.S. personnel Rounded (contoured) Rounded edge Crush depth >0 to 2 centimeters (7) Interviewee Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Sharp edge (8) Other source (specify): Other (specify): (8) Other specify: (9) Police (9) Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Abbreviated Injury Scale Spine (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury Head (06) Lumbar Moderate injury Serious injury (2) (3) Face (3) Neck (06) Skin - Laceration (08) Skin - Avulsion Thorax Vessels, Nerves, Organs, Bones, Joints Severe injury (5) (6) (5) Abdomen are assigned consecutive numbers beginning with 02 Critical injury Maximum (untreatable) Amputation (6)Spine (10)Upper Extremity (20) Burn Injured, unknown severity (7) (30) Crush (40) Degloving Lower Extremity Level of injury Aspect Unspecified (50) Injury - NFS Specific injuries assigned are consecutive two-digit beginning with 02. Type of Anatomic Structure Trauma, other than mechanical Right (2) (3) (4) Left Bilateral Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 Vessels Central (2)(3) (5) Anterior Nerves Organs (includes muscles/ (4) (10) Concussion is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (6) (7) Posterior Superior ligaments) Skeletal (includes joints) (8) Inferior structure. 99 is assigned to any injury NFS as to lesion or severity. Head - LOC (9) (6)Unknown Whole region Skin **INJURY SOURCE FRONT** Wheels / tires 744 B pillar 700 Front bumper 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 750 Right side door surface 705 Hood ornament (spring loaded) 799 Unknown wheel / tire 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension plate 755 Right side glazing rearward of B pillar 802 Oil pan 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 808 Floor pan 722 A1 pillar 723 A2 pillar **Back Components** 809 Fuel tank 760 Rear (back) bumper 724 B pillar 810 Rear suspension 818 Other undercarriage component 725 C pillar 761 Tailgate 762 Hatchback, vertical surface 726 D pillar (specify): 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 769 Unknown back component 729 Left side roof rail **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 771 Hood surface reinforced by under hood 823 Fog lights 733 Left side folding mirror 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify): 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ 776 Front header (specify): 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 947 Ground 778 Backlight glazing 948 Other object (specify): 779 Rear header Right Side Components 780 Hatchback 949 Unknown object in environment 740 Front fender side surface 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): ___ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

___ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

Blood Alcohol Level (mg/dl)


Glasgow Coma Scale Score


$$GCSS = \sqrt{5}$$

Units of Blood Given

Arterial Blood Gases


HCO₃






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

	\triangleright)	OFFICIAL RECORDS
Primary Sampling Unit Number	00	- 111
2. Case Number - Stratum	<u>630 p</u>	9. Police Reported Travel Speed
3. Vehicle Number	0 1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICAT	TION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the mo (99) Unknown		35-30mph x 1.6093 =kmph Alg. 27,5 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph
5. Vehicle Make (specify):	<u>35</u>	(999) Unknown
Applicable codes are found in you NASS PCDS Data Collection, Codi Editing Manual. (99) Unknown	r ing and	mph X 1.6093 = kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present
6. Vehicle Model (specify): Applicable codes are found in you NASS PCDS Data Collection, Codi Editing Manual.		(7) Not reported (8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied
(999) Unknown 7. Body Type Note: Applicable codes may be for the back of this page.	und on 2	before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number 1 2 4 6 3 3 4 2 1 11 12 Left justify; Slash zeros and letter No VIN—Code all zeros Unknown—Code all nines	Z 13 14 15 16 17 Z (Ø and Z)	Source: 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present
		(9) Unknown 14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA			
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown Box 14536 = 100 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above			
Source:	(999) Unknown 19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates			
	PRECRASH DATA			
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown			


lational Accident Sampling System-Crashworthiness	Data System: Pedestrian General Venicle Form Pag
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
	• · · · · · · · · · · · · · · · · · · ·
(specify):(O4) Non-disabling vehicle problem (e.g., hood flew	location (specify):
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc	
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	(λc)
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(00) Stearing oft
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	
in lane	
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) - over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) - over righ	t (2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	
(72) From driveway, turning into opposite direction (73) From driveway, intended path not known	maneuver was initiated
(73) From driveway, intended path not known (74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
	where avoidance maneuver was initiated
(78) Encroachment by other vehicle—details	(4) Vehicle stayed on roadway, not known if left
unknown	travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

(9) Directional consequences unknown

	ENVIRONMENTAL DATA							
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	4	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown					
28.	(6) Unknown type of non-interchange(9) Unknown if interchangeTrafficway Flow		34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)					
	 Not physically divided (two way traffic) Divided trafficway - median strip without positive barrier Divided trafficway - median strip with positive barrier One way trafficway Unknown 	<u> </u>	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR					
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four	5	(8) Miscellaneous/other controls including RR controls (specify): (9) Unknown					
	(5) Five (6) Six (7) Seven or more (9) Unknown	1	35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown					
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	J	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk					
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	J.	(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet					
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	4	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown 					

-

TEKS



PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number



3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

Model Yea

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK*SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

cm

cm

cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm cm cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact


cm

cm

cm cm

cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

National Accident Sampling System-Crashworthiness Data S VIN N U E B 3 2 A 2 N C	System: Pedestrian Exterior Vehicle Form Model Year
Vehicle Make (specify): NBSC	Vehicle Model (specify):
Hood Widths Rear Opening 142 Midway 128 Forward Opening 28	Front Bumper Cover Material Front Bumper Reinforcement Material Sheel Front Bumper Reinforcement Material
WRAP Windshield Base Work Was Work Was Work Was Was Was Was Was Was Was Wa	VERTICAL VERTICAL SO SO Locate the predestrian contacts from the intercept point of the contactive
Location of the origin (intercept point of the centedine and the front arises) fo) V O

BOTAL CALL


AND THE PROPERTY OF THE PROPE Head WRap Contact

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of strictions, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

	PEDESTRIAN SIDE CONTACT WORK SHEE	- B	
PEV06	Hood Material		
PEV08	Hood Length		cm
PEV09	Hood Width-Forward Opening		cm
PEV10	Hood Width-Midway		cm
PEV11	Hood Width-Rear Opening		cm
	VERTICAL MEASUREMENTS		
DE\/26	Ground Clearance		
	Side Bumper-Bottom Height		cm
	Side Bumper-Top Height		cm
	Centerline of Wheel		cm
	Top of Tire		cm
	•		cm
	Top of Wheel Well Opening		cm
	Bottom of A-Pillar at Windshield		cm
	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror		cm
	LATERAL MEASUREMENTS		
PEV35	C _L to A-Pillar at Bottom of Windshield		cm
PEV36	C _L to A-Pillar at Top of Windshield		cm
PEV37	C _L to Maximum Side View Mirror Protrusion		cm
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		cm
PEV39	Ground to Hood Edge		cm
PEV40	Ground to Centerline of Hood (ORIGIN)		cm
	Ground to Head Contact		

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

cm

	ORIGINAL SPECIFICATION	ONS
Wheelbase Overall Length Maximum Width Curb Weight Average Track Front Overhang Rear Overhang Undeformed End Width Engine Size: cyl./displ	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	x = 2.54 = 2.5
FRONT 700 Front bumper 701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object (specify):	INJURY SOURCE 744 B pillar 745 C pillar 746 D pillar 748 Other pillar (specify): 749 Right side roof rail 750 Right side door surface 751 Right side door handle 752 Right side mirror fixed housing 753 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar 756 Rear antenna 757 Rear fender or quarter panel 758 Other right side object (specify): 759 Unknown right side component Back Components 760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical surface 768 Other back component (specify): 769 Unknown back component Top Components 770 Hood surface 771 Hood surface 771 Hood surface reinforced by under hood component 772 Front fender top surface 773 Cowl area 774 Wiper blade & mountings 775 Windshield glazing 776 Front header 777 Roof surface 778 Backlight glazing 779 Rear header 780 Hatchback 781 Rear trunk lid 788 Other top component (specify):	790 Left front wheel / tire 791 Right front wheel / tire 792 Left rear wheel / tire 793 Right rear wheel / tire 798 Other wheel / tire (specify): 799 Unknown wheel / tire Undercarriage components 800 Front cross member 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe 804 Transmission 805 Drive shaft 806 Catalytic converter 807 Muffler 808 Floor pan 809 Fuel tank 810 Rear suspension 818 Other undercarriage component (specify): 819 Unknown undercarriage component Accessories 820 Air scoop, deflector 821 Cellular or CB radio antenna 822 Emergency lights or bar 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify): 826 Spare tire 827 Spotlight 828 Other accessory (specify): Other Object or Vehicle in Environment 947 Ground 948 Other object (specify): 949 Unknown object on contacting vehicle 997 Noncontact injury source

The second of th

POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IM CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
9	Bumper	98	13	0	Duy	Angled Rescul	Q Q 2 3 9	
S	1983	_114_	15	0	Play	renof to cons	(1) 2 3 B	9
L	Gell	80	8	0	Lei	(Smarred)	1 2 3 9	3
Ψ.		80	و -	0	-	(Choned)	\ 1 2 3 9	6
X	book	76	7	0	May.	meney	2 3 9	4
<u> </u>	1 C	76	-8	Υ.	1790	Bounds	1/2 1 9	4
2	Noes	(Q)	0	@	May 1	Down Smen	2 3 9	5
N -	11 0	3	9	<u>Q</u>	First Spe	Syncon	(P) 2 3 8	0
W	4008	47	-93	0	<i>N</i>		1 2 3 9	8
T	1000	86	-8		AR \	Donney /	1 2 3 9	7
8	<i>N</i>	28	-11/8	dens		Smeary	1 2 3 9	7
	1 1	63	-24	<u>8</u>	tugers	Finish who	1 2 3 9	9
	HOED	3	<u></u>	<u> </u>	Hand	1374	1 2 3 8	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
		1					1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

PEDESTRIAN CONTACT WORKSHEET PAGE

CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LOCATION	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
9	Broker	J-50	(3	0	Lea	Ingled ranow suff	1 2 3 9
S	Crease Plate	I-34	15	0	lei	Bont at Come	1 2 3 9
<u></u>	Gell	T-68	8	\mathcal{O}	104	Sha o	1 2 3 9
P	Grill	7-68	-6	0		siran evans	1 2 3 9
K	Hood	1-72	_ み `	(3)	(1) or	Sman Class	1 2 3 9
R	Edge	エーコン	-8	ψ	Org	3/1907	1 2 3 9
2	4001	61	0	0	Worley	Bonds long Smen	1 2 3 9
14	Krod	(03	-99	Q	Fine Stewk	and	1 2 3 9
7	/ dood	43	Q	9	Franc Street	- Bondsmen	1 2 3 9
M	bood	43	-5,3	4		branched Stooks	1 2 3 9
	How	28	-8	slight		ا ما	1 2 3 9
8	11000	28	-18	dent		Bonds she	1 /2 3 9
	Hood	_\%	-14		tem	and lay narray	1/239
-						8monto hood	1 2 3 9
						~	1 2 3 9
<u></u>				<u> </u>			1 2 3 9
							1 2 3 9
							1 2 3 9
						*	1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
<u> </u>							1 2 3 9

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS

	Γ _	I			ER UIZ EUNI AU S		
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IM Centimeters	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)
1 S	118	114	5	1	L. leg	dant	⊘ 2 3 9
2							1 2 3 9
3							1 2 3 9
4							1 2 1 9
5							1 2 3 9
8							1 2 3 3
7							1 2 3 9
8							1 2 3 9
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 #
15							1 2 3 9
18							1 2 3 9
17							1 2 3 9
18							1 2 2 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 8
25							1 2 3 9

VEHICLE DIMENSIONS	11 Head Width Book Opening
2112	11. Hood Width Rear Opening
4. Original Wheelbase	Code to the
Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
	inches X 2.54 = centimeters
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush Frpm
Code to the	Pedestrian
nearest centimeter	(O) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
· · · · · · · · · · · · · · · · · · ·	(3) Moderate crush (4-7 centimeters)
	(4) Severe crush (>7 centimeters)
Certaineters	(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	((*)
(2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(O) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unkne on if contacted by pedestrian - not
(o) Chikhowh	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged
	(9) Unknown if contacted by nedectrian - I
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood (2) OEM replacement	unknown if damaged
(2) OEM replacement	
(2) OEM replacement(3) Non-OEM replacement	unknown if damaged
(2) OEM replacement	unknown if damaged FRONT CONTACT DAMAGE
(2) OEM replacement(3) Non-OEM replacement(9) Unknown	unknown if damaged
(2) OEM replacement(3) Non-OEM replacement	unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 1
 (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length 	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	### TRONT CONTACT DAMAGE Front Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	### TRONT CONTACT DAMAGE Front Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	TRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	TRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	TRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	TRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	TRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact

29. Centerline of Wheel	000	Side Lateral Measureme	ents
Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown		35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the	000
inches X 2.54 =	centimeters	nearest centimeter (250) 250 centimeters or more (999) Unknown	
30. Top of Tire Code to the nearest centimeter (000) No side contact (200) 200 centimeters or more (999) Unknown inches X 2.54 =	centimeters	36. Centerline to A-Pillar at Top of Windshield Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more	centimeters
31. Top of Wheel Well Opening Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 =	centimeters	(999) Unknown inches X 2.54 = 37. Centerline to Maximum Side View Mirror Protrusion Code to the nearest centimeter	centimeter
32. Bottom of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	<u>()00</u>	(000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 =	_
inches X 2.54 =	centimeters	38. Ground to Side/Top Transition	000
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	000	Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown	•
inches X 2.54 =	centimeters	inches X 2.54 =	centimeters
34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	<u>000</u>	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown	centimeters
inches X 2.54 =	centimeters		

40.	Groun	d to Centerline of Hood	000		
		Code to the nearest centimeter	v		
	(700)	No side contact 700 centimeters or more Unknown			
	(000)	. inches X 2.54 =	centimeters		
41.	Groun	d to Head Contact	000		
		Code to the nearest centimeter			
		No side contact 800 centimeters or more		î	
		No head contact Unknown			
		inches X 2.54 =	centimeters		
					:
i					

Junal

82630P00000011 969.0000000000000115250100001

82630P00010012 969.001000000000101F72000

82630P00010021 9.00 000000003011885310015409113013042308080909600165000115

82630P00010131 9.00 00000000037904021271811233

82630P01000041 9.00 0000000009235043021N4EB32A2NC

01110180022201213210011

PSU82 CASE 630P CURRENT VERSION: 9.00 ERROR SUMMARY SCREEN PEDESTRIAN STUDY



FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	O	0	Q	Y
Pedestrian Assessment	0	0	O	Y
Pedestrian Injury	O	0	0	Υ
Pedestrian General Vehicl	.e ()	0	O	Υ
Pedestrian Exterior Vehic	:le 0	O	0	Υ
Total Inter Errors		0	O	
Total Case Errors	0	0	0	